



Galaxy FD Sports Floodlight

Product Datasheet



Datasheet

Overview

Technical Data

Dimensions

Imagery

Contact us

The Galaxy Range comprises mid to high powered LED floodlights specifically designed for most sports applications, with a wide choice of beam angles to achieve uniformity on the pitch. Top spec Philips or Osram LEDs for very high lumen efficiency, combined with excellent thermal management and a corrosion resistant coating, make the Galaxy range a class leading product.

Features:

- Philips/Osram LEDs
- IP65
- Choice of beam angles
- 5 Year Warranty
- Corrosion proof coating


5 year warranty

The Galaxy Sports Floodlight is the latest generation high power LED floodlight, with a circuit watt efficiency of +125 lumens per watt. The externally rated drivers can be remotely mounted if required.

Each of the lensed 100w modules can be aimed individually to give an exceptional light uniformity. Robust construction and corrosion proof coating make this fixture ideal for harsh weather climates.



Product Code	Galaxy FD 600	Galaxy FD 800	Galaxy FD 1000	Galaxy FD 1200
Power (Watts)	600	800	1000	1200
Lumen Output	75,600	100,800	126,000	151,200
Weight (KG)	18.8	23.1	28.9	33.1
Input Voltage	100-277VAC			
LED Chip	Philips Lumileds / Osram			
Dimmable Options	1-10v / Dali Optional			
Finish	Black or Grey Powder Coating			
IP Rating	IP67			
Beam Angles	10° / 25° / 30° / 45° / 60° / 90° / 120°			
CCT	4000K / 5000K / 6500K			
Warranty	5 Years			



600


800

1000

1200



600



800



1000




1200



Each of the lensed 100w modules can be aimed individually to give an exceptional light unfformity.



Visit our website exled.co.uk



For more information about the product featured in this datasheet please contact the experts at Exled.

Call **01453 756 361** or email sales@exled.co.uk